

# Auto Registration

Para crear unas acciones de autoregistro vamos a **Configuration→Actions** y en el desplegable de la derecha **event source** seleccionamos **Auto Registration** y pulsamos el botón **create action**

En la primera pestaña de **Action** rellenaremos el nombre que queremos darle a esta acción y en el campo **New condition**



The screenshot shows the Zabbix web interface for configuring an action. The top navigation bar includes 'Monitoring', 'Inventory', 'Reports', 'Configuration', and 'Administration'. Below it, a secondary navigation bar has 'Host groups', 'Templates', 'Hosts', 'Maintenance', 'Actions', 'Event correlation', 'Discovery', and 'Services'. The 'Actions' page has two tabs: 'Action' (selected) and 'Operations'. The 'Action' tab contains a form with the following elements:

- Name:** A text input field.
- Conditions:** A table with columns 'Label', 'Name', and 'Action'.
- New condition:** A section with a dropdown menu set to 'Host metadata', a dropdown menu set to 'like', and a text input field.
- Add:** A blue link below the 'New condition' text field.
- Enabled:** A checked checkbox.
- Add / Cancel:** Two buttons at the bottom of the form.

creamos la condición “Host Metadata like Linux” y pulsaremos al enlace azul “ **Add** que está en el recuadro de new condition.



no pulsar el botón Add, hasta haber añadido primero las condiciones



Pulsamos ahora sobre la pestaña **Operations** y añadimos una nueva operación que nos vincule con la plantilla "Os Windows"

**ZABBIX** Monitoring Inventory Reports Configuration Administration

Host groups Templates Hosts Maintenance **Actions** Event correlation Discovery Services

### Actions

Action Operations

Default subject: Auto registration: {HOST.HOST}

Default message: Host name: {HOST.HOST}  
Host IP: {HOST.IP}  
Agent port: {HOST.PORT}

Operations: Details Action

Operation details

Operation type: Link to template

Templates: Template OS Linux x type here to search Select

Add Cancel

Add Cancel

Ahora si, pulsamos el botón de **Add** para grabar la acción

From: <http://wiki.intrusos.info/> - LCWIKI

Permanent link: <http://wiki.intrusos.info/doku.php?id=seguridad:monitorizacion:zabbix3:autoregistro&rev=1511182505>

Last update: 2023/01/18 14:39

